

[FAQ]

The maximum power consumption of GV-IP Cameras

Article ID: GV3-14-02-07-n

Release Date: 10/06/2011

Revision Date: 02/07/2014

Applied to

GV-IP Cameras

The table below lists the maximum power consumptions of GV-IP Cameras.

Model	Model Number	Max. Power Consumption
Box Camera	GV-BX120D	7 W
	GV-BX140DW	7 W
	GV-BX130D Series GV-BX220D Series GV-BX320D Series GV-BX520D	7 W
	GV-BX1200 Series GV-BX1300 Series GV-BX1500 Series GV-BX2400 Series GV-BX3400 Series GV-BX5300 Series	9.5 W
	GV-BX2500 Series	7.99 W

Model	Model Number	Max. Power Consumption	
Bullet Camera	GV-BL120D GV-BL220D GV-BL320D	12 W	
	GV-BL1200	6.72 W	
	GV-BL1300	6.72 W	
	GV-BL1500	7.68 W	
	GV-BL2400	7.2 W	
	GV-BL2500	8 W	
	GV-BL3400	7.2 W	
	GV-BL1210	11.52 W	
	GV-BL1510	13.8 W	
	GV-BL2410	11.52 W	
	GV-BL2510	13.4 W	
	GV-BL3410	12.48 W	
	GV-BL5310	12.48 W	
	Cube Camera	GV-CA120 GV-CA220	7 W
		GV-CAW120 GV-CAW220	6 W
GV-CB120 GV-CB220 GV-CBW120 GV-CBW220		3.2 W	
Fisheye Camera		GV-FE420 GV-FE421 GV-FE520 GV-FE521 GV-FER521 GV-FE2301 GV-FE4301	5 W

Model	Model Number	Max. Power Consumption		
Fixed Dome	GV-FD120D GV-FD220D GV-FD320D	12 W		
	GV-FD1200 GV-FD1500 GV-FD2400 GV-FD2500 GV-FD3400 GV-FD5300	12 W		
	GV-FD1210 GV-FD1510 GV-FD2410 GV-FD2510 GV-FD3410	12 W		
	IR Arctic Box Camera	GV-BX120D-E GV-BX130D-E GV-BX220D-E GV-BX320D-E GV-BX520D-E	24 W	
		GV-BX1500-E	24 W	
		GV-BX2400-E GV-BX3400-E	23 W	
		GV-BX5300-E	21.6 W	
		Mini Fixed Dome	GV-MFD120	4.5 W
			GV-MFD130	5.5 W
GV-MFD220			5.5 W	
GV-MFD320	5.5 W			
GV-MFD520	6 W			
GV-MFD1501 Series GV-MFD2401 Series GV-MFD2501 Series GV-MFD3401 Series GV-MFD5301 Series	6 W			

Model	Model Number	Max. Power Consumption
Mini Fixed Rugged Dome	GV-MDR120	3 W
	GV-MDR220	3.4 W
	GV-MDR320	3.4 W
	GV-MDR520	3.6 W
PT / PTZ Camera	GV-PT220D GV-PT320D GV-PTZ010D	12 W
Speed Dome	GV-SD010	20 W
	GV-SD010-S	65 W (with heater)
	GV-SD200	20 W
	GV-SD200-S	65 W (with heater)
	GV-SD220	30 W
	GV-SD220-S	60 W (with 30 W heater)
Ultra Box Camera	GV-UBX1301 Series GV-UBX2301 Series GV-UBX3301 Series	6.5 W
Ultra Bullet Camera	GV-UBL1211	6.94 W
	GV-UBL1511	9.65 W
	GV-UBL2411	6.94 W
	GV-UBL2511	9.95 W
	GV-UBL3411	6.94 W
	GV-UBL1301 Series GV-UBL2401 Series GV-UBL3401 Series	5.52 W

Model	Model Number	Max. Power Consumption
Vandal Proof Dome	GV-VD120D GV-VD220D GV-VD320D	12 W
	GV-VD1500 GV-VD2400 GV-VD2500 GV-VD3400	12 W
	GV-VD1530 GV-VD2430 GV-VD2530 GV-VD3430	15.4 W
	GV-VD1540 GV-VD2440 GV-VD2540 GV-VD3440 GV-VD5340	22.48 W
	GV-VD1540-E GV-VD2440-E GV-VD2540-E GV-VD3440-E GV-VD5340-E	30 W

For the supported power types for GV-IP cameras, refer to this FAQ:

http://pd.geovision.tw/faq/IPDevice/Supported_IPCAM_Power.pdf